



1999


2000


future

(0,0)











Microsoft Window





Linux 2.0.34

Linux 2.0.35

Mobile Intel Celeron (333 MHz) Debian GNU/Linux 2.1 Mobile Intel Celeron (366 MHz)

Linux 2.2.0-pre8 Linux 2.2.0-pre9 Linux 2.2.0 Linux 2.2.1

Linux 2.2.2

Linux 2.2.3 Linux 2.2.4 Linux 2.2.5

Linux 2.2.6

Debian GNU/Linux 2.2

4.0

5.0

Linux 2.3.99-pre8 Linux 2.3.99-pre9 Linux 2.4.0-test1

1

Linux 2.4.0-test2

Linux 2.4.0-test3

FreeBSD 4.1

Linux 2.4.0-test4 Linux

Linux

► Mobile Intel Celeron (400 MHz) Microsoft Windows 2000 announcement BSD/OS 4.0.1 Intel


The Practical Extraction and Reporting Language 5.6.0

BSD/OS 4.1

OpenBSI

▼
OpenBSI

2.4.0-test5
▼
2.4.0-test6



D 2.6

D 2.7

) IBM Advanced Interactive eXecutive 4.3.3 Intel Mobile Pentium II (400 MHz) (0.25 micron process)


Linux 2.2.9

Intel Pentium III (700 MHz) (0.18 micron process) Intel Pentium III (933 MHz) (0.18 micron process)

Linux 2.2.10

Linux 2.2.11

10, 533, 550, 600,
[z] (0.18 micron process)




500 MHz) (0.18 micron process)


50, 600 MHz)

Intel Pentium III Xeon (800 MHz) (0.18 micron process) ▶ Intel Pentium II Xeon (866 MHz) (0.25 micron process)

0.18 micron process)

Intel Pentium III (600, 667, and 733 MHz) (0.18 micron process)






MHz) (0.18 micron process)

Intel Mobile Pentium III with SpeedStep (700 MHz)

Intel Pentium II

ISO C (C90)

_____ ↘
II (1 GHz) (0.18 micron process) Intel Pentium III Xeon (933 MHz) (0.18 micron process)



(0,1)

Linux 1.3.

Linux 1.3.72 ▶ Linux 1.3.73 ▶ Linux 1.3.74 ▶ Linux 1.3.75 ▶ Linux 1.3.76 ▶ Linux 1.3.77 ▶ Linux 1.3.78 ▶ Lin
Linux 1.3.82 ▶ Linux 1.3.83 ▶ Linux 1.3.84 ▶ Linux 1.3.85 ▶ Linux 1.3.86 ▶ Linux 1.3.8

Hurd 0.2 ← Inte


Linux 1.3.47 ▶ Linux 1.3.48 ▶ Linux 1.3.49 ▶ Linux 1.3.50

Linux 1.3.53 ▶ Linux 1.3.54 ▶ Linux 1.3.55 ▶ Lin

Linux 1.3.79 ▶ Linux 1.3.80 ▶ Linux 1.3.81

37 ▶ Linux 1.3.88 ▶ Linux 1.3.89 ▶ Linux 1.3.90 ▶ Linux 1.3.91 ▶ Linux 1.3.92 ▶ Linux 1.3.93 ▶ Lin

el Pentium II (333 MHz) ▶ Intel Pentium II (350 and 400 MHz) Intel Pentium (233 MHz) with MMX



Linux 2.1.63 ▶ Linux 2.1.64 ▶ Linux 2.1.65

3.23 Linux 1.3.39 Linux 1.3.24 ▶ Linux 1.3.25 ▶ Linux 1.3.26 ▶ Linux 1.3.27 ▶ Linux 1.3.28 ▶ 1

Gnu's Not Unix 0.1 Mach 4.0 UK22 OpenStep 4.0 Microkernel Linux DR1 Gnu's Not Unix

Linux pre-2.0-12 ▶ Linux pre-2.0-13 ▶ Linux pre-2.0-14

Linux 2.0.1 ▶ Linux 2.0.2 ▶ Linux 2.0.3 ▶ Linux 2.0.4 ▶

▶ Linux 2.0.19 ▶ Linux 2.0.20

▶ Linux 2.1.10 ▶ Linux 2.1.11 ▶ Linux 2.1.12 ▶ Linux 2.1.13

Linux 2.1.14

ntium with MMX (200, 233 MHz) Gnu's Not Unix 0.2 Rhapsody DR1 Apple Newton Messagepad

Linux 2.1.26

Linux 2.1.29 ▶ Linux 2.1.30

Linux 2.1.32 ▶ Linux 2.1.31 ▶ Linux 2.1.33 ▶ Linux 2.1.34 ▶

Linux 2.1.37 ▶ Linux 2.1.38 ▶ L


Linux 2.1.49 ▶ L

Apple Newton Messagepad 2100

▶ Linux 2.1.66 ▶ Linux 2.1.67 ▶ Linux 2.1.68

Linux 2.1.69 ▶ Linux 2.1.70 ▶ Linux 2.1.71 ▶ Linux 2.1.72 ▶ Linux 2.1.73 ▶

2.11BSD patch 400



NetBSD 1.1 Linux 1.3
 ↓
 Linux 1.3

Linux 1.3.62 ▶ Linux 1.3.63 ▶ Linux 1.3.64 ▶ Linux 1.3.65 ▶ Linux 1.3.66 ▶ Linux 1.3.67 ▶ Linux 1.3.68

Linux 2.0.12 ▶ Linux 2.0.13 ▶ Linux 2.0.14 ▶ Linux 2.0.15 FreeBSD 2.1.5

NetBSD 1.2

Linux 2.1.19


Intel Pentium (333 MHz) Intel Pentium II Xeon (400 MHz) Intel Mobile Pentium with MMX (266 MHz)

Linux 2.1.20

Linux 2.1.56

Linux 2.1.59 ▶ Linux 2.1.60

Linux 2.1.79 ▶ Linux 2.1.80 ▶ Linux 2.1.



Linux 1.3.43 Linux 1.3.34 Linux 1.3.44 Linux 1.3.35 Linux 1.3.36

Linux pre-2.0-4 Linux pre-2.0-5 Linux pre-2.0-6 Linux pre-2.0-7 Linux pre-2.0-8 Linux pre-2.0-9

Linux 2.0.36
Linux 2.0.37


Microsoft Windows New Technology 4.0 Service Pack 3 BSD/OS 4.0 Intel Pentium (200, 166 MHz) with MMX


Linux 2.1.23 Linux 2.1.24 Linux 2.0.28
Linux 2.1.25 Linux 2.0.29



Linux 2.1.42
Linux 2.1.43
Linux 2.1.44


Linux 2.1.57 Cairo beta 1 (Microsoft Windows)
Linux 2.1.58

Microsoft Windows New Technology 4.0 Option Pack










2.5)

7.2

2.0



ntium Pro (200, 180, 166, 150 MHz)

4MHz)

Hewlett-Packard Unix 10.10 → Hewlett-Pa

ntium Pro (200 MHz) with 1 MB of integrated L2 cache

Hewlett-Packard Unix 11.00 → Hewlett-Pa

ackard Unix 10.20





ackard Unix 10.30

ISO C (C95)


IBM P2S








Apple Network Server 500 ▶ Apple Network Server 700




Power Performance Chip 604e BeOS Release 3




1994


1995

(0,2)




Linux 0.99.14o ▶ Linux 0.99.14p ▶ Linux 0.99.14q ▶ Linux 0.99.14r ▶ Linux 0.99.14s ▶ Linux 0.99.14t





Linux 1.1.25



Linux 0.99.15b ▶ Linux 0.99.15c ▶ Linux 0.99.15d ▶ Linux 0.99.15e ▶ Linux 0.99.15f ▶ Linux 0.99.15g ▶

Linux 1.0.0 ▶ Linux 1.0.1

Linux 1.1.19 ▶ Linux 1.1.20 ▶ Linux 1.1.21 ▶ Linux 1.1.22 ▶ Linux 1.1.23 ▶ Linux 1.1.24

Linux 1.1.26 ▶ Linux 1.1.27 ▶ Linux 1.1.28 ▶ Linux 1.1.29 ▶ Linux 1.1.30 ▶ Linux 1.1.31 ▶ Linux 1.1.32


Linux 1.1.53 ▶ Linux 1.1.54 ▶ SunOS 5 (Solaris 1.3) ▶ Linux 1.1.55 ▶ Linux 1.1.56


Linux 1.1.71 ▶ Linux 1.1.72


Linux 1.1.76 ▶ Linux 1.1.77 ▶ Linux 1.1.78


Linux 1.2.10 ▶ Linux 1.3.0 ▶ Linux 1.3.1 ▶ Linux 1.3.2 ▶


Linux 1.3.7 ▶ Linux 1.3.8 ▶ Linux 1.3.9 ▶ Linux 1.3.10 ▶ Linux 1.3.11 ▶ Linux 1.3.12 ▶ Linux 1.3.13



























(16,2)



Macintosh Performa 550

Macintosh TV


Macintosh Performa 578


Macintosh LC 550


Macintosh Performa 577

Intel DX4

The Common







The Power Performance Chip 601 and 601v



The Power Performance


Chip 603 / 603e / E603e



The Power Performance Chip 603q

Sinclair Z88

1985



1988

1989

1990

1992

1987

1991

1993

(0,3)




Newton Messagepad
(4,3)


Linux 0.99 ▶ Linux 0.99.1


Linux 0.99.2


Bourne Again Shell

SunOS
(Solaris)















Linux 0.99.3 ▶ Linux 0.99.4 ▶ Linux 0.99.5 ▶ Linux 0.99.6 ▶ Linux 0.99.7 ▶ Linux 0.99.7A ▶ Linux 0.99.8







6a.1 ▶ Linux 0.96a.2 ▶ Linux 0.96a.3 ▶ Linux 0.96a.4 ▶ Linux 0.96b ▶ Linux 0.96b.1 ▶ Linux 0.96b.2

t-Packard Unix 8.0

(11,3) Solaris 2.2 (SunOS 5.2)

2 ▶ Linux 0.96c ▶ Linux 0.96c.1 ▶ Linux 0.96c.2 ▶ Linux 0.97 ▶ Linux 0.97.1 ▶ Linux 0.97.2 ▶ Linu

The Practical Extraction and Reporting Language 2.000 I

x 0.97.3 ▶ Linux 0.97.4 ▶ Linux 0.97.5 ▶ Linux 0.97.5a ▶ Linux 0.97.6 ▶ Linux 0.98 Korn Shell

The Practical Extraction and Reporting Language 1

Linux 0.98.1 → Linux 0.98.2 → Linux 0.98.3 Microsoft Windows for Workgroups 3.1

Linux 0.98.4 ▶ Linux 0.98.5

Linux 0.98.6

The Motorola 68008

Apple System So

Digital Equipment Corporation Virtual Memory System 5.0

The Motorola 88000

Digital Equipment Corporation Virtual Memory System 5.1

The Motorola 88100

Microsoft Winc

Microsoft Windows 3.1

DR-DOS 5.0

The Motorola 68030

Digital Equipmen

IBM Personal Com

IBM Personal Com

IBM Personal Com

.000

The Practical Extraction and Reporting Language 3.000

The Practical Extraction and Reporting Language 4.000


The Motorola 68040

Microsoft Disk Operating System 5.0


DR-DOS 6.0

Software 0.3, 0.5

IBM Personal Computer DOS 3.2




Digital Equipment Corporation Virtual Memory System 4.6 ▶ Digital Equipment Corporation Virtual Memory System 4.6





NeXT Computer


Microsoft Disk Operating System




Macintosh Color Classic









(20,3) Macintosh Centris 610 → Macintosh Centris 650 —————

NeXT, Inc.

Be, Inc.

IBM Power

(21,3) → Macintosh Centris 660av

IBM Power

er 1 → IBM RSC



er 2



1981



1982



1983




1984

1986

(0,4)





Apple Lisa 1




Lisa 2/5


Apple Lisa 2/10


Apple Lisa 2

Macintosh

(5,4)







orkstation

C++

current C


SunOS 3.2

Digital Equipment Corporation Virtual Memory System 4.3

Digi

ive 2

ive 2.2.1
(9,4)



.....

Digital Equipment Corporation Virtual Memory System 3.4 ▶ Digital Equipment Corporation Virtual Memc

.....


Digital Equipment Corporation Virtu
Digital Equipment Corporation Virtual

ory System 3.5 Apple Finder 5.2 Apple System 3.1 Digital Equipment Corporation Virtual Memo


Virtual Memory System 3.2

Local Memory System 3.3

Memory System 3.6 ▶ Digital Equipment Corporation Virtual Memory System 3.7 ▶ Digital Equipment Corporation




Digital





Digital Equipment Corporation Virtual Memory System 3.1



igital Equipment Corporation Virtual Memory System 4.0 ► Digital Equipment Corporation Virtual Memory System 4.1 The










Apple System 0.97 Apple Finder 1.0 Apple System Software, 0.7 Apple System Software 1.0




IBM Personal Co

IBM Personal Computer DOS 3.1






/usr/group Standards Committee



Common List Processing Language

Intel 80286 ← Intel 80186



Sinclair ZX81

Sinclair ZX Spectrum

Sinclair QL



The Digital Equipment Corporation Programmed Data Processor, model 16/
Register Transfer Model

TI

The Digital Equipment Corporation Programmed Data Processor, model 16/M

The Digital Equipmen

The Digital Equipment Corporation Programmed Data Processor, model 10/50
DECsystem-10/50

The Digital Equipment Corporation Programmed Data Processor, model 10/70/
DECsystem-10/70


The Digital Equipment Corporation Progra


rogrammed Data Processor, model 8/E

The Digital Equipment Corporation Program

rogrammed Data Processor, model 11/10

The Digital Equipment Corporation Programmed Data Processor.





computing Service

The Multiplexed Information and Computing Service

System,

Bourne Shell

C

System,

FreeBSD 2.2.8

Data General Nova

System,

System,

RT PWB/UNIX

System,

Data General Nova

System,

SX Unix

.0 RT 1.0

Awk

PWB/UNIX 1.0

Unix Support Group Unix 1.0

PWB/UNIX 1.2

Unix Support Group Unix 2.0

PWB/UNIX 2.0

TS 2.0

Unix Support Group Unix 3.0

TS 3.0

Data General MicroNova

1BSD


2BSD


32V


(8,5)


C Shell


TS 3.0.1











.....


.....
.....

.....

.....


.....
.....

.....
.....



→ Linux 2.1.130

Apple Computer, Inc.



Sinclair mk14



Sinclair ZX80

BeOS Release 4




Electronical Numerical Integrator and Computer

1943
↓
1944
↓
1945
↓
1946
↓
1947
↓
1948
↓
1949
↓
1950
↓
1951
↓
1952
↓
1953
↓
1954
↓
1955
↓
1956
↓
1957
↓
1958
↓
1959
↓
1960
↓
1961
↓
1962
↓
1963
↓
1964
↓
1965
↓
1966
↓
1967
↓
1968
↓
1969

Electronic Discrete Variable Automatic Calculator

Ordnance Variable Automatic Computer

Ballistic Research Laboratory's Electronic Scientific Computer



Laboratory Instrument




The Digital Equipment Corporation Labo



The

The Digital Equipment Corporation Prograr

t Computer



oration Programmed Data Processor, model 5



oration Programmed Data Processor, model 8

el 8/S





oration Programmed Data Processor, model 8I


(5,6)


The Digital Equipment Corporation TYPESET-8 T


The Digital Equipment Corporation Programmed Data Pi















(10,6)











The Digital Equipment Corporation Programmed Data Pr

processor, model 1





The Transistor

MIT Lincoln Lab Whirlwind

MIT Lincoln Lab Whirlwind II

MIT Lincoln Lab TX-0





X-2 The Integrated Circuit,
Invented by Jack Kilby

Algorithmic Language 58



Algorithmic Language 60



The Integrated Circuit,
Invented by Robert Noyce

Algorithmic Language 66

Data General Intel Corporation Algorithmic Language 68

Advanced Micro Devices

